ENGEL

by Roega
www.roega.com

The world's finest portable fridges and freezers

The classic among the fridges and freezers

Marine Caravan Camping Truck Expeditions Job & Fun Barbecues Beach

Because these facts speak for themselves!

- **High efficiency**
  The Swing Motor compressor makes use of the frequency phenomenon, which helps to achieve a much better efficiency factor of 1.4. In addition, you have all the benefits of a hermetic system run on alternating current.
- **Minimum power consumption**
  Due to the electro-dynamic system's high efficiency on the one hand, and the optimised control electronics system that works in different operating modes on the other, Swing Motor fridges and freezers of the fourth generation require as much as 25 per cent less power than their predecessors.
- **Lower start-off current**
  The lower, hardly raised start-up current rules out overcharging when the unit is battery run and, compared with conventional compressors, improves the energy balance significantly. In normal chilling (+5 °C) and under the same battery conditions the **life span is at least 30 per cent longer**.
- **High product safety**
  Due to their constructive simplicity and the strict quality requirements as well as many years of experience, the units' susceptibility to damage is outstandingly low. The Swing Motor compressor is fully maintenance-free. The units are amazingly easy to clean thanks to their smooth surfaces.
- **Usable in almost all positions**
  The Swing Motor compressor runs at full capacity without losing efficiency even at angles of up to 60 degrees.
- **Lightweight and low-noise**
  As part of the new K2 technology, noise level and weight could be reduced even further.
- **High service life**
  Up to 30 years and longer. On top of that, spare parts supply is largely secured for older appliances.
- **Friendly to the environment**
  Perfectly suited for solar-powered operation. 100% maintenance-free.

CONTENTS

Portable fridges 10-15

Installation fridges 16-19

Icemaker 20-22

Thermoelectric coolers/warmers 23

Accessories 24-26

ENGEL – Customer satisfaction worldwide.

Your contact partner for worldwide support:

EUROPE

Denmark, Norway, Sweden,
Finland, Island, Faroe Islands,
Greenland – **ENGEL Nordic**
c/o Olympic a/s
DK-6640 Lunderskov
Tværvej 2-4
Tel: +45 75 58 57 00
Fax: +45 75 58 67 50
www.olympic-as.dk

Austria -
HOECO Handels GmbH
A-2483 Ebreichsdorf
Fischagasse 44
Tel: +43(0)2254 720310
Fax: +43(0)2254 720319
www.hoeco.at

Netherlands –
RKG – Technische Groothandel
5443 NA Haps
Kalkhofseweg 2
Tel: +31 485 37 20 91
Fax: +31 485 37 20 92
www.engel-europe.nl

Belgium –
Webasto Product Belgium s.a,
Chauffages, Climatisations et Toits
Ouvrants Aftermarket
1070 Bruxelles
Allée Hof Ter Vleest, 1
Tel: +32 (0)2 558 06 60
Fax: +32 (0)2 521 45 34
www.webasto.be

Germany –
Ocean Marine Handels GmbH
22113 Hamburg
Pinkertweg 10
Tel: +49 40 219 10 42
Fax: +49 40 219 11 14
www.ocean-marine.de

U.S.

IMD ENGEL USA
1555 Jupiter Park Drive
Unit 5
Jupiter
FL 33458
Tel: (561) 743 7419
Fax: (561) 743 7420
www.i-m-d.com

ASIA

Sawafuji Electric Company
(Producer)
Kyoei Building 6-15-14
Toyotamakita, Nerima-Ku
Tokyo 176-8539, Japan
www.sawafuji.co.jp

Australia

Engel Distribution Pty. Ltd.
13 Tacoma Circuit
Canning Vale 6155
Western Australia
Tel: +61(0)8-9455-5099
Fax: +61(0)8-9455-5211
www.engelaustralia.com.au

Distributors:

EUROPE

Denmark, Norway, Sweden,
Finland, Island, Faroe Islands,
Greenland – **ENGEL Nordic**
c/o Olympic a/s
DK-6640 Lunderskov
Tværvej 2-4
Tel: +45 75 58 57 00
Fax: +45 75 58 67 50
www.olympic-as.dk

Austria – **Webasto Fahrzeugtechnik GmbH**
A-1230 Wien
Jochen Rindt Straße 19
Tel: +43(1)604 37 80
Fax: +43(1)604 37 86
www.kuehlboxen.at

Switzerland – **Webasto (Schweiz) AG**
CH-4123 Allschwil
Hagmattstrasse 4
Tel: +41(61)486 95 80
Fax: +41(61)486 95 89
www.webasto.ch

Czech Republic & Slovakia – **DALIX s.r.o**
591 01 Zdár nad Sázavou
Svermova 6/34
Tel: +42 0 566 626 563
Fax: +42 0 566 626 563
www.dalix.cz

Germany – **Ocean Marine Handels GmbH**
22113 Hamburg
Pinkertweg 10
Tel: +49 40 219 10 42
Fax: +49 40 219 11 14
www.ocean-marine.de

Greece – **BIOPART S.A.**
GR-10442 Athen
Polykratous 40
Tel.: +30 210 5153100
Fax: +30 210 5153207
www.biopart.gr

ENGEL – the market leader in mobile fridges and freezers for many years.

All over the world ENGEL is associated with activity, robustness and adventure. The brand also stands for unrivalled reliability. With its new Swing Motor compressor, the traditional brand is once again setting international standards.

For more than 45 years, ENGEL has been the undisputable market leader in mobile refrigerators and freezers. No wonder! This brand's outstanding reliability borders on the proverbial. Since 1962, more than five million ENGEL refrigerators and freezers have been sold all over the world. Thousands of portable fridges are still operating today – after 30 or even 40 years!

Especially in maritime use, where fridges and freezers are exposed to extreme conditions, the ENGEL brand has an excellent reputation. It is not without good reason that most of the initial equipment you can find in Fairline, Sealine, Elegance, Bandido and other boats was produced by ENGEL.

From Australia to Africa and America and as far as Europe – people all around the globe rely on ENGEL appliances – thanks to their robust construction and their ability to hold a steady temperature. Compromises may be okay for others, but certainly not for ENGEL. This is why here at ENGEL we take customer satisfaction very seriously. ENGEL not only offers its customers worldwide support through its international partners. It is also the only producer to offer three years guarantee with all of its Swing Motor compressor refrigerators and freezers.

And let's face it: Only those who feel confident can afford to offer guarantees!

History

It’s the customers that come back to us and not the products.

Since 1962, over five million ENGEL refrigeration and freezer units have been manufactured and sold all over the world. From Australia to Africa and Europe, ENGEL fridge-freezers have become firmly established in the global market. Especially in countries where fridges and freezers have to cope with particularly harsh conditions, they have gained a very high reputation.

There they are trusted for their great reliability, their tough construction and superb refrigeration performance. Many dealers and customers have related stories of car rollovers and collisions and ENGEL units dropping off trucks and still performing perfectly.

Thousands of portable fridges, some built 30 or even 40 years ago, still operate today, keeping food and drink fresh or even frozen.

Malcom Douglas

Malcom’s original ENGEL

The latest ENGEL generation – Swing Motor compressor technology

High-tech refrigeration with minimum power consumption!
Already 45 years ago, JAPANESE Sawafuji Electric Co. Ltd started manufacturing and selling a unique product:

The SWING MOTOR COMPRESSOR
To meet high expectations, you have to rise above the average. The latest generation of ENGEL Swing Motor compressors is the best proof of this commitment to continuous improvement which is renewed each year: even quieter, even more efficient and with even lower power consumption. Unlike modified household compressors, the ENGEL compressor is the only one on the market that was purpose built and exclusively designed to be a portable refrigerator compressor – a clear advantage that affects all areas. This makes it completely vibration, shock and tilt resistant.

In battery-run units, particularly, the benefits of its low start-up power requirements show to full advantage. Compared with other compressor types used under identical conditions with the same batteries, and especially during normal refrigeration, i.e. temperature ranges around +5 °C, this leads to longer use. And the resulting option of operating with low switch hystereses leads to optimum refrigeration conditions and low temperature fluctuations within the set refrigeration and freezing temperature. Low start-up and nominal currents make the Swing Motor compressor the ideal compressor to suit all off-grid applications and particularly also solar-powered systems.



Whatever you need – there is always an ENGEL for you.



Outdoors, on board or on tour

More than 10 different mobile models leave nothing to be desired. Thanks to state-of-the-art technology and combined fridge-freezers, there are practically no limits to outdoor applications. A fisherman might leave home first thing in the morning with cooled drinks and food and return home in the evening with his catch – cooled or even frozen. Automatic temperature control makes this possible. The optionally used basket is removable, making it easy to clean the smooth inner surfaces – an essential contribution to hygiene.

"Made in Japan" convinces through top-quality materials, perfect processing and best refrigeration performance.

ENGEL units save lives and serve science.

For medical technology and pharmaceutical supplies

ENGEL fridges and freezers are now also available for the specialist application area of medical technology and pharmaceutics. Our fridges and freezers that have been tried and tested a million times are now equipped with a special high-tech electronics system that guarantees highly accurate temperatures. Whether medication, blood bottles, laboratory samples or perishable foods – ENGEL fridges and freezers are the right choice.

Please request our separate medical brochure.

Portable fridges

Portable fridges are not only the most worthwhile devices when it comes to energy efficiency. They are also the handiest type of refrigeration appliance available. Because ENGEL devices are so versatile, you can take the portable fridges with you wherever you like and use them wherever you like.

Little ENGEL MRFD-015

Art. No. 513-120

External dimensions: W x H x D 422 x 372 x 284 mm
Internal dimensions: W x H x D 350 x 180 x 190 mm
Voltage: 12 Volt
Capacity: 13 litres
Material: ABS
Colour: Body light grey
Lid dark grey
Weight: 11 kg
Temperature range:
+5°C up to >-18°C,
stepless adjustable control
Power consumption (12 Volt):
44 Watt

Now IMPROVED – even lower power consumption

The smallest available compressor-based portable fridge

Compact and light

Compact and light at the same time and sturdy thanks to their robust plastic exterior, these two models not only have fans on country roads.
The smaller model MT-17 is perfect for one to two people for a whole weekend. Families will prefer the MT-27.

ENGEL MT-17-F

Art. No. 517-1224

External dimensions: W x H x D 536 (without handle) x 358 x 306 mm
Internal dimensions: W x H x D 290 x 230 x 200 mm
Voltage: 12/24/230 Volt
Capacity: 15 litres
Material: ABS
Colour: Body light grey, lid dark grey
Weight: 16 kg
Temperature range:
+5°C up to >-18°C, stepless adjustable control
Power consumption (12 Volt):
32 Watt
Ø operating time: at 20 °C tu = 15%
at 30 °C tu = 20%

Now IMPROVED – even lower power consumption

ENGEL MT-27-F

Art. No. 527-1224

External dimensions: W x H x D 538 (without handle) x 450 x 306 mm
Internal dimensions: W x H x D 290 x 320 x 200 mm
Voltage: 12/24/230 Volt
Capacity: 21 litres
Material: ABS
Colour: Body light grey, lid dark grey
Weight: 17 kg
Temperature range:
+5°C up to >-12°C,
stepless adjustable control
Power consumption (12 Volt):
32 Watt
Ø operating time: at 20 °C tu = 20%
at 30 °C tu = 30%

Now IMPROVED – even lower power consumption

Most sold

Often copied, never equalled!
We can proudly say that our products have been in use for over 45 years. Widely known and desired because of their easy use, their high robustness, durability and efficiency due to minimum power consumption.

ENGEL MT-35-F

Art. No. 535-1224

External dimensions: W x H x D 647 (without handle) x 408 x 364 mm
Internal dimensions: W x H x D 380 x 270 x 270 mm
Voltage: 12/24/230 Volt
Capacity: 32 litres
Material: Sheet steel enamelled
Colour: Body light grey, lid dark grey
Weight: 21 kg
Temperature range: +5°C up to -18°C, stepless adjustable control
Power consumption (12 Volt):
32 Watt
Ø operating time:
at 20 °C tu = 20%
at 30 °C tu = 30%

Now IMPROVED – even lower power consumption

ENGEL MT-45-F

Art. No. 545-1224

External dimensions: W x H x D 647 (without handle) x 508 x 364 mm
Internal dimensions: W x H x D 380 x 370 x 270 mm
Voltage: 12/24/230 Volt
Capacity: 40 litres
Material: Sheet steel enamelled
Colour: Body light grey, lid dark grey
Weight: 24 kg
Temperature range:
+5°C up to >-18°C,
stepless adjustable control
Power consumption (12 Volt):
32 Watt
Ø operating time: at 20 °C tu = 25%
at 30 °C tu = 40%

Now IMPROVED – even lower power consumption

Pure elegance

The classics are now even more attractive.
The MT-35 and the MT-45 of the brand new 2008 digital series not only gleam because of their silver metallic multi-coat finish, but also because of the installed digital display that tells you the exact interior temperature.
Elegant – modern - efficient

ENGEL MT-35-FS

Art. No 535-1224-D

External dimensions: W x H x D 647 (without handle) x 408 x 364 mm
Internal dimensions: W x H x D 380 x 270 x 270 mm
Voltage: 12/24/230 Volt
Capacity: 32 litres
Material: Sheet steel enamelled
Colour: Silver metallic
Weight: 21 kg
Temperature range: +5°C up to -18°C, stepless adjustable control
Power consumption (12 Volt):
32 Watt
Ø operating time: at 20 °C tu = 20%
at 30 °C tu = 30%
With digital thermometer

Now IMPROVED – even lower power consumption

ENGEL MT-45-FS

Art. No. 545-1224-D

External dimensions: W x H x D 647 (without handle) x 508 x 364 mm
Internal dimensions: W x H x D 380 x 370 x 270 mm
Voltage: 12/24/230 Volt
Capacity: 40 litres
Material: Sheet steel enamelled
Colour: Silver metallic
Weight: 24 kg
Temperature range:
+5°C up to >-18°C,
stepless adjustable control
Power consumption (12 Volt):
32 Watt
Ø operating time: at 20 °C tu = 25%
at 30 °C tu = 40%
With digital thermometer

Now IMPROVED – even lower power consumption

And it gets better and better

They have come to be known as man's best friend.
These models have a huge capacity and are still easy to carry.
A genuine sensation for group excursions, fishing trips or extended touring. You can fully rely on ENGEL.

ENGEL MT-60-F

Art. No. 560-1224

External dimensions: W x H x D 790 (without handle) x 441 x 490 mm
Internal dimensions: W x H x D 510 x 310 x 390 mm
Voltage: 12/24/230 Volt
Capacity: 60 litres
Material: Sheet steel enamelled
Colour: Body light grey, lid dark grey
Weight: 32 kg
Temperature range:
+5 °C up to >-18 °C,
stepless adjustable control
Power consumption (12 Volt):
52 Watt

ENGEL MT-60-FCS

Art. No. 560-1224-D

Specifications the same as MT-60 except:
Combi device with normal fridge compartment (30 litres) and separate freezer compartment (27 litres)

The freezer compartment always stays ice cold and you can control the temperature in the normal fridge compartment the way you are used to – by thermostat.

Colour: Silver metallic
With digital thermometer

Now IMPROVED – even lower power consumption



Chill and freeze at the same time

We grow and grow

Not only is our technology being continuously improved – the compressors now are even more efficient, quieter and save more electricity than ever thanks to the new Swing Motor technology – the units' cubic capacity is growing too. The biggest units in the range offer 33% more capacity without any increase in power consumption.

ENGEL MT-80-FS

Art. No. 580-1224

External dimensions: W x H x D 790 (without handle) x 561 x 490 mm
Internal dimensions: W x H x D 510 x 430 x 390 mm
Voltage: 12/24/230 Volt
Capacity: 80 litres
Material: Sheet steel enamelled
Colour: Silver metallic
Weight: 39 kg
Temperature range:
+5 °C up to >-18 °C,
stepless adjustable control
Power consumption (12 Volt):
52 Watt
With digital thermometer

Now IMPROVED – even lower power consumption

ENGEL MT-80-FCS

Art. No. 580-1224-FC

Specifications the same as MT-80-FS except:
Combi device with normal fridge compartment (40 litres) and separate freezer compartment (37 litres)

The freezer compartment always stays ice cold and you can control the temperature in the normal fridge compartment the way you are used to – by thermostat.

Colour: Silber metallic
With digital thermometer

Now IMPROVED – even lower power consumption

Chill and freeze at the same time

Installation fridges

ENGEL installation fridges have been the right choice for years. Particularly the dangerous and environmentally harmful absorber devices with poor chilling performance of different manufacturers are no longer state of the art. In our range of installation fridges you are sure to find a suitable product.



CK-45: ENGEL SRBD-047

Art. No. 545-121

Installation dimensions: W x H x D 419 x 544 x 500 mm (without door 460 mm)
Voltage: 12 Volt
Capacity: 45 litres
Material: Foil-covered polyurethane hard-foam body, door frame sheet steel, door with magnetic lock
Colour: frame enamelled grey, door teakwood finish
Weight: 15 kg
Temperature range:
+5 °C up to >-2 °C * - freezer compartment, electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/right

Now IMPROVED – even lower power consumption

Perfectly integrated

Fridges especially designed for use on boats, in caravans, campers, lorries and other kinds of mobile homes. Filling gas bottles is now a thing of the past and you no longer need to worry about gas leaks. Features like automatic temperature control, adjustable compartments and doors are a perfect addition to any vehicle.

CK-65: ENGEL SR-65E

Art. No. 565-1224

Installation dimensions: W x H x D 466 x 552 x 547 mm (without door 521 mm)
Voltage: 12/24/230 Volt
Capacity: 55 litres
Material: Cabinet and doorframe sheet steel, door with magnetic lock
Colour: frame enamelled grey, door teakwood finish
Weight: 22 kg
Temperature range:
+5 °C up to >-2 °C * - freezer compartment, electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/right

Now IMPROVED – even lower power consumption

CK-85: ENGEL SR-90E

Art. No. 585-1224

Installation dimensions: W x H x D 560 x 770 x 548 mm (without door 491 mm)
Voltage: 12/24/230 Volt
Capacity: 80 litres
Material: Foil-covered polyurethane hard-foam body, door frame sheet steel, door with magnetic lock
Colour: frame enamelled grey, door teakwood finish
Weight: 25 kg
Temperature range:
+5 °C up to >-2 °C ** - freezer compartment, electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/rights

Now IMPROVED – even lower power consumption

Built-in or free-standing

These two new fridges were specifically designed for very cramped conditions.
The cooling aggregate is located in the back at the side of the body and the temperature can be easily controlled from the outside.
The devices can be used either built-in or free-standing.
These ENGEL fridges have even been used on railway vehicles.

CK-47: ENGEL SB-47F

Art. No SB 47F-E-T

Installation dimensions: W x H x D 423 x 530 x 511 mm
Voltage: 12/24 Volt
Capacity: 40 litres
Material: Foil-covered polyurethane hard-foam body
Colour: Door teakwood finish
Weight: 15 kg
Temperature range:
+5 °C up to >-2 °C
electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/right

Now IMPROVED – even lower power consumption

CK-57: ENGEL SR-70E

Art. No. SR 70F-E-T

Installation dimensions: W x H x D 506 x 530 x 586 mm
Voltage: 12/24/230 Volt
Capacity: 55/57 litres
Material: Foil-covered polyurethane hard-foam body
Colour: Door teakwood finish
Weight: 19 kg
Temperature range:
+5 °C up to >-2 °C,
electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/right

Now IMPROVED – even lower power consumption

So versatile – so flexible

Free-standing fridges – ideal for professional shipping, large campers, yachts or simply for your holiday home.
If you have enough space available, you can install your fridge quickly, conveniently and easily accessible.

CK-62: ENGEL ST-68E

Art. No. 562-1224

Installation dimensions: W x H x D 450 x 547 x 548 mm (without door 505 mm)
Voltage: 12/24/230 Volt
Capacity: 55 litres
Material: Cabinet and door frame sheet steel, door with magnetic lock
Colour: white
Weight: 21 kg
Temperature range:
+5 °C up to >-2 °C * - freezer compartment, electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/right

Now IMPROVED – even lower power consumption

CK-100: ENGEL ST-90E

Art. No. 5101-1224

Installation dimensions: W x H x D 520 x 780 x 548 mm (without door 505 mm)
Voltage: 12/24/230 Volt
Capacity: 80 litres
Material: Foil-covered polyurethane hard-foam body,
Door frame sheet steel, door with magnetic lock
Colour: Frame enamelled grey,
Door teakwood finish
Weight: 29 kg
Temperature range:
+5 °C up to >-2 °C ** - freezer compartment, electronic thermostat
Power consumption: 32 Watt
Front finish: interchangeable
Door hinge: Left/right

Now IMPROVED – even lower power consumption

Icemaker

There is hardly anything more pleasurable than spending your holidays in a caravan or on a boat! For over four decades, U-Line has led the way in built-in undercounter ice-making appliances.

Ice Maker ORIGINS SP-18

Art. No UL-SP18B-11

Installation dimensions: W x H x D 354 x 470 x 630 mm
Voltage: 220/230 Volt and 50 Hz provided
Capacity: 5 kg ice cubes
Daily ice rate: 9 kg
Design/finish: black, white
Weight: 31 kg
Defrosting: manual

The SP-18 model is lower than other built-in undercounter ice makers and therefore the ideal solution where extra space is needed.
This ice maker with short profile is the perfect travel companion and produces up to 9 kg of ice cubes a day.

Simply ultra cool

Sophisticated international design, superior equipment, space-saving construction and reliability make U-Line products the perfect travel companions in luxury style.

Ice Maker ORIGINS WH95TP

Art. No. UL-WH95TP-11

Installation dimensions: W x H x D 354 x 629 x 431 mm
Voltage: 220/230 Volt and 50 Hz provided
Capacity: 5 kg ice cubes
Daily ice rate: 10 kg
Design/finish: white
Weight: 30 kg
Defrosting: manual

Ice Maker ORIGINS SS-98

Art. No UL-SS98-11

Installation dimensions: W x H x D 379 x 695 x 508 mm
Voltage: 220/230 Volt and 50 Hz provided
Capacity: 11 kg ice cubes
Daily ice rate: 11 kg
Design/finish: Stainless steel
Weight: 36 kg
Defrosting: manual

Ice on the road

U-Line ice makers stand for high capacity combined with low power requirements and sleek design. As a designer and manufacturer of the first built-in undercounter ice making appliances available, U-Line has always held a leading position in the industry. In mobile homes and on boats ice makers produced by U-Line are found more often than any other comparable device brand in the world.

Ice maker ORIGINS BI-95BTP

Art. No UL-BL95BTP-11

Installation dimensions: W x H x D 354 x 629 x 431 mm
Voltage: 220/230 Volt and 50 Hz provided
Capacity: 5 kg ice cubes
Daily ice rate: 10 kg
Design/finish: black
Weight: 30 kg
Defrosting: manual

Ice maker ORIGINS SS-95

Art. No. UL-SS95-11

Installation dimensions: W x H x D 354 x 629 x 431 mm
Voltage: 220/230 Volt and 50 Hz provided
Capacity: 5 kg ice cubes
Daily ice rate: 10 kg
Design/finish: Stainless steel
Weight: 30 kg
Defrosting: manual

Thermoelectric coolers/warmers

Right here you will find thermoboxes that will serve you by either heating or chilling their contents. Independent of a socket, these little energy savers are content with power from a cigarette lighter socket. From a technical point of view, these models are little miracles. Fitted with a wear-free thermoelectric system cold and heat is transferred to the interior.

Thermo ENGEL 8 Litres

Art. No. TE-08

External dimensions: W x H x D 440 x 260 x 205 mm
Voltage: 12 Volt
Capacity: 8 litres including 2 drinks holders
Colour: white
Weight: 3 kg
System: Wear-free thermoelectric system (Peltier technology), cold and heat is conducted to the inside through a coated aluminium container, heat is transferred to the outside by a fan.
Temperature range:
up to about +5°C (up to 25 °C below ambient temperature)
Heating: 65 °C
Power consumption: 54 Watt

Thermo ENGEL 18 Litres

Art. No. TE-18

External dimensions: W x H x D 450 x 340 x 310 mm
Voltage: 12/230 Volt
Capacity: 18 litres
Colour: white
Weight: 6 kg
System: Wear-free thermoelectric system (Peltier technology), cold and heat is conducted to the inside through a coated aluminium container, heat is transferred to the outside by a fan.
Temperature range:
up to about +5°C (up to 25 °C below ambient temperature)
Heating: 65 °C
Power consumption: 54 Watt

Accessories

Accessories galore for your ENGEL.
They might look a bit unspectacular, but they offer a huge range of use and improvement options.

Transit Slide Loks

To secure your fridge safely in your vehicle

Available to suit:

ENGEL MT-17/MT-27: Art. No. TSL27

ENGEL MT-35/MT-45: Art. No. TSL530/540 EX

AC Adapter

Art. No. TEACA

For connecting a 12-Volt device to the 230-Volt grid

Dimensions: W x H x D 139 x 60 x 90
Input voltage: 230 Volt AC
Output voltage: 13 Volt DC
Permanent stability: 6A

Transit Bags

Additional insulation and even more safety for your portable fridge

Available to suit:

ENGEL MT-17: Art. No. TBAG517

ENGEL MT-27: Art. No. TBAG527

ENGEL MT-35: Art. No. TBAGMT35

ENGEL MT-45: Art. No. TBAGMT40

ENGEL MT-60: Art. No. TBAG560GA

ENGEL MT-80: Art. No. TBAGMT80

Accessories

Cord DC (black)
12-Volt connection lead with 3-pin plug
Art. No. 191240400X9

Cord AC (grey)
230-Volt connection cord
Art. No. 191240700X9

Inset Basket for portable ENGEL fridge
Inset basket to suit 15-80-litre fridges

to suit MT-17: Art. No. 523001000
to suit MT-27: Art. No. 523004800X0
to suit MT-35: Art. No. 523003700X9
to suit MT-45: Art. No. 523003800X9
to suit MT-60: Art. No. 523001800
to suit MT-80: Art. No. 523005200X0
to suit MT-80: Art. No. 523004900X0

Built-in Socket and Switch
MT series KB
Art. No. 190010200X9

Thermometer MT -35/45-D
Art. No. 62400053009

Spare Fuse
(reverse battery protection) for ENGEL
12-Volt connection cord
Art. No. 160300200

Accessories

Fridge Slide (lengthwise) optionally available to suit all MT-series products. Price on application

Basket Separator Frame (horizontal)
for an already provided basket
to suit MT-35/45: Art. No. SB35
to suit MT-60/80: Art. No. SB560

Battery Monitor 10.5V/shuts off fridge when charge falls below set voltage Art. No. BM12
Battery Monitor 11.5V/shuts off fridge when charge falls below set voltage Art. No. BM12A

We would be delighted to provide you with suitable advertising material for your presentation.

Hinge Lock: Locks the separable hinges of the ENGEL MT-35/45 and keeps the lid from sliding off. Art. No. 35HLK

Basket Separator Frame (vertical)
for an already provided basket to suit the MT-35/45 Art. No. 35BSF

Battery Monitor 11.5V shuts off fridge when charge falls below set voltage with original plug Art. No. BMIL

Base: 800 x 500 x 500 mm
Art. No. ENGEL-ROEGA-DEK
Roll Up: Art. No. ENGEL-RU85220

Special spare parts

We look forward to your enquiry concerning spare parts – also for any ENGEL fridges and freezers of the past.

We have almost all parts for the products of the last **25 years** in stock.

All articles pictured in this catalogue are only available in specialist retail stores!
Subject to printing errors, mistakes and changes.

Awards

ENGEL —
received an award for having the best technical product.

At the Autotec in Brno – Central Europe's largest trade fair for automobile supplies and accessories, the ENGEL MT-45-D was elected as the **"best technical product at the trade fair in the technology category"**.

Autotec-2006- award

Autotec-2006-certificate

Your dealer:

Cat. No. 01/2009

ENGEL

by Roega

www.roega.com

ROEGA Technik Handels GmbH

Sägewerkstraße 3, D-83395 Freilassing, T: +49(0)5459/805476, F: +49(0)5459 9068231, M: +49(0)163/7795951, E-Mail: office@roega.com, www.roega.com